Village of Waterman
215 W. Adams Street
P.O. Box 239
Waterman, IL 60556

WINDOW & DOOR PERMIT

Window Requirements

- Waterproof tape is installed on the lower third of opening including bottom and sides.
- UL listed flashing tape shall be installed before trim is installed.
- Proper J channel shall be installed accordingly around windows and doors.
- UL listed low expansion foam is used around window for proper seal and insulation.
- Any water damage around windows is replaced and compliant.
- Installation of tempered glass in all required locations. Windows greater than 9 square feet, or if bottom edge of window is less than 18" above the floor, top edge of glass is more than 36" above the floor, and walking surfaces are within 36" of the windows.
- U-factor for all windows is 0.28 or less
    - Sticker shall be left on all new windows until passing the final inspection.

Inspections Required

- Window & Door Replacement Rough
- Window & Door Replacement Final

Permit Documents Required

- Building Permit Application
- Scope of Work / Contract-In full detail
- U-Factor for all Windows and Doors
- Location of all Windows and Doors
- Dimensions for Windows and Doors (include if there are any size changes)
    - If the windows are increasing in size, provide:
        - Framing Details
        - Insulation
        - Dimensions for new window size

****Please note, all re-inspections will require additional fees per inspection, to be paid prior to scheduling.**